

Math 500: //DRAFT ONLY// HW 6 due Friday, March 14, 2025.

Webpage: <http://dunfield.info/500>

Office hours: Wednesdays 1:30-2:30pm and Thursdays 2:00-3:00pm; additional times possible by appointment.

1. Let $R = \mathbb{Z}[\sqrt{2}] = \{a + b\sqrt{2} \mid a, b \in \mathbb{Z}\}$ as a subring of \mathbb{R} . Show that $x \in R^\times$ if and only if $N(x) \in \mathbb{Z}^\times$, where $N(a + b\sqrt{2}) = a^2 - 2b^2$. Then show that R^\times has an element of infinite order. Hint: use that N is multiplicative.
2. Let $S = \mathbb{Z}[\sqrt{-3}] = \{a + b\sqrt{-3} \mid a, b \in \mathbb{Z}\}$. Determine the group of units S^\times . Then show that S is not a UFD, by finding an element with two inequivalent factorizations. Hint: use the function $N(a + b\sqrt{-3}) := |a + b\sqrt{-3}|^2 = a^2 + 3b^2$.
3. Assume R is a commutative ring with 1, and that for each $a \in R$ there is an $n > 1$ such that $a^n = a$. Show that every prime ideal of R is a maximal ideal.
4. Let A be a non-zero finitely generated ideal of a ring R . Use Zorn's Lemma to prove that there is an ideal B which is maximal with respect to the property that it does not contain A .
5. Prove that the ring \mathcal{O} of quadratic integers in $\mathbb{Q}(\sqrt{2})$ is a Euclidean domain, using the function $a + b\sqrt{2} \mapsto |a^2 - 2b^2|$.
6. Prove that the quotient ring $\mathbb{Z}[i]/I$ is finite for every non-trivial ideal I . Hint: Use the fact that $I = (\alpha)$ for some nonzero α and use the division algorithm in this Euclidean domain to see that every coset of I is represented by an element of norm less than $N(\alpha)$.
7. Prove that a quotient of a PID by an ideal is a PID.
8. Let $R = \mathbb{Z}[\sqrt{-n}]$, where n is a squarefree integer > 3 .
 - (a) Prove that 2 , $\sqrt{-n}$, and $1 + \sqrt{-n}$ are irreducibles in R .
 - (b) Prove that R is not a UFD. Hint: show that either $\sqrt{-n}$ or $1 + \sqrt{-n}$ is not prime.
9.
 - (a) Prove that the quotient ring $\mathbb{Z}[i]/(1 + i)$ is a field of order 2.
 - (b) Let $q \in \mathbb{Z}$ be a prime with $q \equiv 3 \pmod{4}$. Prove that the quotient ring $\mathbb{Z}[i]/(q)$ is a field with q^2 elements.
 - (c) Let $p \in \mathbb{Z}$ be a prime with $p \equiv 1 \pmod{4}$ and write $p = \pi\bar{\pi}$ where π and its complex conjugate $\bar{\pi}$ are prime elements. Apply the Chinese Remainder Theorem (Section 7.6 of [DF] or Section 24 of [R2]) to see that $\mathbb{Z}[i]/(p) \cong \mathbb{Z}[i]/(\pi) \times \mathbb{Z}[i]/(\bar{\pi})$ as rings. Then show $\mathbb{Z}[i]/(p)$ has order p^2 and use this to conclude that $\mathbb{Z}[i]/\pi$ and $\mathbb{Z}[i]/\bar{\pi}$ are both fields of order p .
10. Determine all the ideals of the ring $\mathbb{Z}[x]/(2, x^3 + 1)$.

Credit: Problems 1-2 are from [R] and the rest from [DF].